

Rights	Description of the Right	Possible Values
<b>Smart Quotes Right Structure</b>		
<b>Server Offline Connected</b>		
Use SQL Server	To enable the use of the SQL server for the Offline Connected Mode	Yes or No
Use Synchronization	To enable the user of the Synchronization functionality in the Offline Connected Mode	Yes or No
<b>Server</b>		
Server Name	To define the name of the SQL server which contains the database	Any name up to 70 characters
Database Name	To define the name of the database	Any name up to 70 characters
Encryption	To encrypt the data exchanged between the client and the server	Enabled or Disabled
<b>Account</b>		
Use Special Account	To enable the use of a special account for connecting to the SQL server	Yes or No
User Name	To define the User Name for the special account described above	Any name up to 70 characters
Password	To define/modify the password for the User Name for the special account described above	Any password up to 64 characters which remains hidden
<b>Update</b>		
Use Manual Update	To enable the manual update functionality	Yes or No
Use Auto Update	To allow the application to search for updates automatically and inform the user when an update is available	Yes or No
Update Time Interval (in hundredths of a second)	To define the frequency of automatic update checks	Any numerical value up to 12 integers
<b>Login</b>		
Default Password	To provide the user's default password	Any password up to 256 characters
Password Mandatory Change	To force the user to change the default password upon login	Yes or No
<b>Password Control</b>		
At least 1 Upper Case Mandatory Character	To force the password to include at least one uppercase letter	Optional or Mandatory
At least 1 Lower Case Mandatory Character	To force the password to include at least one lowercase letter	Optional or Mandatory
At least 1 Mandatory Number	To force the password to include at least one number	Optional or Mandatory
At least 1 Mandatory Special Character	To force the password to include at least one special character	Optional or Mandatory
Minimal Length	To define a minimum number of characters for the user's password	Any numerical value up to 12 integers
Warning Period [days]	To define the number days before a user's password expires where they will receive a warning	Any numerical value up to 12 integers
Validity Period [days]	To define how many days a password is valid	Any numerical value up to 12 integers
<b>Opening</b>		
Add to Smart Quotes Title	To add additional information to the Metis title bar	Any information limited to 256 characters
Last Open Project/Offer to display	To define the number of last opened projects and offers to display	Any numerical value up to 12 integers
<b>Project</b>		
Auto-allocation of the Reference Number	To automatically generate and allocate a reference number upon creating a project	Enabled or Disabled
Use Import / Export	To enable the import and export of projects	Yes or No
Use History	To enable the use of Project/Offer information and logging functionalities	Yes or No
Use Multiple Projects Deletion (QSBW Offline only)	To allow the deletion of multiple projects at once	Yes or No
Use Project Owner	To define the project owner from a dropdown list	Yes or No
<b>Company / Contact</b>		
Creation of New Companies	To enable the user to manually create new companies	Enabled or Disabled
Copy of Existing Companies	To enable the user to make duplicates of existing companies	Allowed, Not Allowed, or Restricted
Creation of New Contact Persons	To enable the user to create new contact persons	Enabled or Disabled
Copy of Existing Contact Persons	To enable the user to make duplicates of existing contact persons	Allowed, Not Allowed, or Restricted
Use UAN	To enable the use of UAN by adding a field to the	Enabled or Disabled
Use SAP	To enable the use of SAP by adding a field to the	Enabled or Disabled
'Street' Mandatory	To make the "Street" field mandatory	Yes or No
Use CMR	To enable the use of CMR by adding a field to the	Enabled or Disabled

CMR Type	To enable the use of CMR Type by adding a field to the	Enabled or Disabled
'State' Mandatory	To make the "State" field mandatory	Yes or No
<b>Branch</b>		
Branch Allocation	To hide, display, or make the "Branch" field mandatory when adding/editing addresses	Not used, Optional, or Mandatory
<b>Offer</b>		
Import All Offer Headers	Enables the automatic import of offer headers upon sychronization between two installations of Metis Smart Quotes applications in offline connected mode.	Yes or No
<b>Warning</b>		
Amount	To define the threshold offer amount required to perform a bid analysis	Any numerical value up to 10 integers
Document	This setting is in relation to the red exclamation point icon which appears near the title bar of the window	Any type of document the users desires to associate with the warning message
Warning Message	This setting is in relation to the message which appears after the red exclamation point icon described above	Any information limited to ... characters
<b>Offer Data</b>		
Sales	To make the "Sales" field mandatory	Optional or Mandatory
Use Offer Number	To enable the use of an Offer Number	Enabled or Disabled
Use Manual Offer Number	To enable the usage of an Offer Number other than the one automatically generated	Yes or No
<b>Statistics</b>		
Bid Origin	To hide, display, or make the "Bid Origin" field mandatory when defining offer data	Not used, Optional, or Mandatory
Bid Branch	To hide, display, or make the "Bid Branch" field mandatory when defining offer data	Not used, Optional, or Mandatory
Status	To hide, display, or make the "Status" field mandatory when defining offer data	Not used, Optional, or Mandatory
Reason	To hide or display the "Reason" field when defining offer data	Yes or No
Potential	To hide, display, or make the "Potential" field mandatory when defining offer data	Not used, Optional, or Mandatory
Probability	To hide, display, or make the "Probability [%]" field mandatory when defining offer data	Not used, Optional, or Mandatory
Starting Date	To hide, display, or make the "Starting Date" field mandatory when defining offer data	Not used, Optional, or Mandatory
Proceed	To hide, display, or make the "Proceed [%]" field mandatory when defining offer data	Not used, Optional, or Mandatory
<b>System</b>		
Own System Templates	To enable the saving and the use of system and sub-system templates in the offer mask	Enabled or Disabled
Show ECS ID	To enable the display of the ECS ID number field of a system	Enabled or Disabled
<b>System Data</b>		
Title	To make the "Title" field mandatory when defining system data	Optional or Mandatory
Type	To make the "Type" field mandatory when defining system data	Optional or Mandatory
Description	To make the "Description" field mandatory when defining system data	Optional or Mandatory
Multiple Configuration	Enables the user to edit the quantity of some sub-systems	Yes or No
Limited description	To limit the number of characters used in the Description field. If enabled, the size of the description is limited to 80 characters, with only the characters [A...Z], [a...z], [0...9] and [<SPACE>, +, -, _, (, ), [,]] being accepted	Yes or No
Instruction	To hide, display, or make the "Instruction" field mandatory when defining system data	Not used, Optional, or Mandatory
Sales	To make the "Sales" field mandatory when defining system data	Optional or Mandatory
Hide Project Manager	To hide the "Project Manager" field in the system data	Yes or No
Hide Team Leader	To hide the "Team Leader" field in the system data	Yes or No
Hide Technician	To hide the "Technician" field in the system data	Yes or No
Equipment Nr for no New Offer	To hide, display, or make the "Equipment Nr" field mandatory when the user is creating an extension offer	Not used, Optional, or Mandatory
<b>Dates</b>		
Installation Beginning	To hide, display, or make the "Installation" field mandatory when defining system data	Not used, Optional, or Mandatory
System Mounting	To hide, display, or make the "Mounting" field mandatory when defining system data	Not used, Optional, or Mandatory
Commissioning	To hide, display, or make the "Commissioning" field mandatory when defining system data	Not used, Optional, or Mandatory
Acceptance	To hide, display, or make the "Acceptance" field mandatory when defining system data	Not used, Optional, or Mandatory

Invoice	To hide, display, or make the "Invoice" field mandatory when defining system data	Not used, Optional, or Mandatory
<b>Statistics</b>		
Status	To hide, display, or make the "Status" field mandatory when defining system data	Not used, Optional, or Mandatory
Probability	To hide, display, or make the "Probability [%]" field mandatory when defining system data	Not used, Optional, or Mandatory
Reason	To hide or display the "Reason" field when defining system data	Yes or No
<b>Price Calculation</b>		
GLP Price	To use pre-defined or calculated sales and purchase prices	Any GLP Price from the list provided
Segment	To select the segments to be displayed to the user	Any Segment from the list provided
<b>Access</b>		
Customer View	To give access to the Customer View functionality	Enabled or Disabled
Leasing	To give access to the Leasing functionality	Enabled or Disabled
Comparison	To give access to the Comparison functionality	Enabled or Disabled
Limits	To give access to the Limits functionality	Enabled or Disabled
Send to SET	To give access to the Send to SET functionality	Enabled or Disabled
SORA	To give access to the SORA functionality	Enabled or Disabled
Debug Mode	To give access to the Debug Mode functionality	Enabled or Disabled
Cost View	To give access to the Cost View functionality	Enabled or Disabled
Service Aggregation	To give access to the Service Aggregation functionality	Enabled or Disabled
<b>Display</b>		
Buy Price	To display or hide the Purchase Price columns	Enabled or Disabled
Round-off	To define at which value decimals begin to be rounded off	Any numerical value up to 10 integers
<b>Material List</b>		
Find and replace material	To display or hide the "Replace" button	Enabled or Disabled
Column "Page Break"	To display or hide the "PB" column	Enabled or Disabled
Use Configuration Validation	To enable the mandatory control of the system configuration by an especially authorized user	Enabled or Disabled
Export XLS of List of Equipment	To enable the creation of an Excel file of the list of equipment	Enabled or Disabled
Show Position Long Designation	To display or hide the long designation for the position when mousing over them in List Result tab	Yes or No
<b>Positions</b>		
Creation of Personal Positions	This setting has an influence on the window which appears after the user has double-clicked on a position in the List of Equipment. In particular, it applies to the green add icon which appears in the upper right corner of that window.	Enabled or Disabled
Another Position (Manual Position)	This setting has an influence on the window which appears after the user has double-clicked on a position in the List of Equipment. In particular, it provides an additional definition that the user can choose. It appears next to Text position and 3rd party position.	Enabled or Disabled
<b>Modification</b>		
Edit Item Text	To allow the Metis Smart Quotes user to edit item texts	Enabled or Disabled
Attributes	To allow the Metis Smart Quotes user to edit Attribute values of the positions	Enabled or Disabled
Sales Price	This setting has an influence on the column Unit Price which appears in the List of Equipment	Enabled or Disabled
Position Sorting According to Insertion	When set to yes, this setting has an influence on the general order of lines in the List of Equipment	Yes or No
<b>Discount</b>		
Customer Discount	To enable customer discounts	Enabled or Disabled
Maximal Discount SRV	To set the maximum discount for services	Any numerical value up to 10 integers
Maximal Discount MAT	To set the maximum discount for materials	Any numerical value up to 10 integers
Minimal Margin SRV	To set the minimum discount for services	Any numerical value up to 10 integers

Minimal Margin MAT	To set the minimum discount for materials	Any numerical value up to 10 integers
Discount by same position	To apply the same discount to all occurrences of a position	Enabled or Disabled
Margin	To allow the Metis Smart Quotes user to edit the margin of a position	Not used, Editable, or Read Only
Price by same position	To set the same price for identical positions	Enabled or Disabled
Markup	To hide, display, or make the Markup column read only	Not used, Editable, or Read Only
Lock	To enable the lock functionality	Enabled or Disabled
<b>Positions</b>		
Purchase Price	To enable discounts on the purchase price	Enabled or Disabled
Discount on material	To enable discounts on materials	Enabled or Disabled
Discount on services	To enable discount on services	Enabled or Disabled
<b>Sections</b>		
Purchase Price	To enable discounts on the purchase price	Enabled or Disabled
Discount on material	To enable discounts on materials	Enabled or Disabled
Discount on services	To enable discount on services	Enabled or Disabled
<b>System</b>		
Purchase Price	To enable discounts on the purchase price	Enabled or Disabled
Discount on material	To enable discounts on materials	Enabled or Disabled
Discount on services	To enable discount on services	Enabled or Disabled
<b>Offer</b>		
Purchase Price	To enable discounts on the purchase price	Enabled or Disabled
Discount on material	To enable discounts on materials	Enabled or Disabled
Discount on services	To enable discount on services	Enabled or Disabled
<b>Configuration Service</b>		
Configuration Service	To enable the Configuration Service functionality	Enabled or Disabled
Org ID	This setting refers to information which is used upon visiting Configuration Service	Any ID up to 256 characters
Web Address	A web address to define for the configuration service	Any web address up to 256 characters
Country Code	This setting refers to information which is used upon visiting Configuration Service	A valid country code for the country chosen
Validity Period [days]	The number of days that a configuration validation from Configuration Service remains valid	Any number of days up to 12 integers long
<b>Ibase</b>		
Password	A password used to gain access to Ibase	Any password up to 64 characters which remains hidden
Account	An account used to gain access to Ibase	Any account name up to 256 characters
<b>Send by Mail</b>		
<b>Send to SORA</b>		
SORA	To provide access to the SORA functionality	Enabled or Disabled
E-Mail	To define the default recipient of the e-mail	Any email address up to 256 characters
Protocol	To define the type of pop-up that appears for creating and sending e-mails to SORA	SMTP (see "SMTP")
<b>Send to SET</b>		
Send to SET	To provide access to the SET functionality	Enabled or Disabled
E-mail	To define the default recipient of the e-mail	Any email address up to 256 characters
Protocol	To define the type of pop-up that appears for creating and sending e-mails to SET	SMTP (see "SMTP")
<b>SMTP</b>		
Server Name	To define the name of the SMTP server	Any name up to 256 characters
Login	To define the login for SMTP	Any login up to 256 characters
Password	To define/modify the password for the Login account described above	Any password up to 64 characters which remains hidden
<b>Send to Support (Debug Mode)</b>		
E-mail	To define the default recipient of the e-mail	Any email address up to 256 characters
Protocol	To define the type of pop-up that appears for creating and sending e-mails to Support	SMTP (see "SMTP")

<b>ENScore</b>		
ENScore	To provide access to the ENScore functionality	Enabled or Disabled
Web Page	To define the web page address where the ENScore configurator can be found	Any web address up to 256 characters
Web Service	To define the web service address to which Metis Smart Quotes connects	Any web address up to 256 characters
System	To define the system to which ENScore positions are attributed	Service Catalogue
Enscore Service Description is linked to	To define a note to the Enscore Service Description	Any note from the given list in Metis
<b>Order</b>		
Deactivation of "Export Control"	To display the Export Control window after clicking on the Order button	Yes or No
Default Order Type	To define the order files default format	Any type of file type from the given list
Order	To enable the order tab in Metis Smart Quotes	Enabled or Disabled
<b>SES Orders</b>		
Company to be linked as "Ultimate Receiver"	Ship-to-party	Any address role from the list of address roles found in Metis
Mandatory Company Nr. for "Ultimate Receiver"	No	Yes or No
Company to be linked as "Invoice Receiver"	Payer	Any address role from the list of address roles found in Metis
Mandatory Company Nr. for "Invoice Receiver"	No	Yes or No
Mandatory "Manual Order Nr"	No	Yes or No
<b>SES R41</b>		
Activation SES R41	To enable the SES R41 functionality	Yes or No
Description SES R41	To enable the user to type in a description for SES R41	Any description up to 256 characters
Company to be linked as "Supplier"	To define the company to be linked as the Supplier	Any address role from the list of address roles found in Metis
Company to be linked as "Ultimate Buyer"	To define the company to be linked as the Ultimate Buyer	Any address role from the list of address roles found in Metis
<b>SES Spiridon</b>		
Activation SES Spiridon	To enable the SES Spiridon functionality	Yes or No
Description SES Spiridon	To enable the user to type in a description of SES Spiridon	Any description up to 256 characters
Sales Organisation	To define the sales organisation	Any of the sales organisations from the given list
Division	To define the division	Any of the divisions from the given list
Organisation Unit	To define the organisation unit	Any of the organization units from the given list
<b>Statistics</b>		
Order Status	To enable the order status	Enabled or Disabled
<b>XML Orders</b>		
Activation XML	To enable the generation of XML type order files	Yes or No
Description XML	The text to be displayed to the Metis Smart Quotes user (when indicating or selecting an order type)	Any text up to 256 characters
Company to be linked as "Customer"	To select the address role (and the company defined for this role) to be considered as the "Customer"	Any address role from the list of address roles found in Metis
<b>CSV Orders</b>		
Activation CSV	To enable the generation of CSV type order files	Yes or No
Description CSV	The text to be displayed to the Metis Smart Quotes user (when indicating or selecting an order type)	Any text up to 256 characters
<b>TXT Orders</b>		
Activation TXT	To enable the generation of TXT type order files	Yes or No
Description TXT	The text to be displayed to the Metis Smart Quotes user (when indicating or selecting an order type)	Any text up to 256 characters
<b>XLS Orders</b>		
Activation XLS	To enable the generation of XLS type order files	Yes or No

Description XLS	The text to be displayed to the Metis Smart Quotes user (when indicating or selecting an order type)	Any text up to 256 characters
<b>Documents</b>		
Activation	To enable the ability to generate documents	Yes or No
<b>Access</b>		
Internal Notes	To provide access to the Internal Notes option	Enabled or Disabled
<b>Accompanying Letter</b>		
Enabling	To enable the creation accompanying letters	Yes or No
Directory	To define the default directory (per available language) that opens when the Metis Smart Quotes user wishes to import a template	Any directory the user wishes to define
<b>Project Text</b>		
Project Text	To enable the creation of project text	Enabled or Disabled
Directory	To define the default directory (per available language) that opens when the Metis Smart Quotes user wishes to import a template	Any directory the user wishes to define
Offer Level	To determine if the content defined in the Final Text window must be available for offer level or system level documents.	Yes or No
<b>Final Text</b>		
Final Text	To enable the creation of project text	Enabled or Disabled
Directory	To define the default directory (per available language) that opens when the Metis Smart Quotes user wishes to import a template	Any directory the user wishes to define
Offer Level	To determine if the content defined in the Final Text window must be available for offer level or system level documents.	Yes or No
<b>Commercial Conditions</b>		
Commercial Conditions	To enable the Metis Smart Quotes user to type in the commercial conditions	Enabled or Disabled
Directory	To define the default directory (per available language) that opens when the Metis Smart Quotes user wishes to import a template	Any directory the user wishes to define
Offer Level	To determine if the defined content must be available for offer level or system level documents	Yes or No
Conditions and Signatures	To enable the definition of the main commercial conditions and the signatories	Enabled or Disabled
Other Conditions	To enable the definition of the other commercial conditions	Enabled or Disabled
<b>Documents on Server</b>		
Send Documents to Server	To enable saving documents in a specific directory	Enabled or Disabled
Document Path	To define the default directory where the documents are stored	Any document path the user wishes to define
<b>Service Descriptions</b>		
Service Descriptions	To enable the Metis Smart Quotes user to type in a description for the services	Enabled or Disabled
Directory	To define the default directory (per available language) that opens when the Metis Smart Quotes user wishes to import a template	Any directory the user wishes to define
Offer Level	To determine if the content defined in the Service descriptions window must be available for offer level or system level documents.	Yes or No
<b>Display</b>		
Delivery	To display the Delivery and Handling field	Enabled or Disabled
Delivery Time	To display the Delivery Time field	Enabled or Disabled
Signature Letter	To display the Signature for Accompanying Letter field	Enabled or Disabled
Signature Offer	To display the Signature for Offer fields	Enabled or Disabled
Validity	To display the Offer Validity field	Enabled or Disabled
Payment Terms	To display the Payment Terms field	Enabled or Disabled
Sender	To display the Sender field	Enabled or Disabled

Permit User Defined Terms	To enable the Metis Smart Quotes user to define their own terms for the Payment Terms, Delivery Time, Delivery and Handling, Invoicing Terms, Warranty, Export Terms and Payment Mode	Enabled or Disabled
Position No. (OLE Word) : 1.1, 1.2, ...	To define how the positions within a section are numbered when offer documents are generated. In relation to the OLE tag [@TADetails].	Any numbering choice from the given list
<b>Generic Excel</b>		
Generic XLS Activation	To enable the generation of Generic Excel files	Yes or No
Template	To define the Excel file used as a template	Any excel file
Macro	To enable the use of macros	Enabled or Disabled
Macro Name	To define a name for the macro	Any name up to 256 characters
Use Multiple Price Categories	To enable the use of multiple price categories	Yes or No
<b>Models</b>		
Expert Mode	To enable Expert Mode	Enabled or Disabled
Service Modelling	To consider the service models in the calculation	Enabled or Disabled
<b>Setup</b>		
Country	To define a default country	Any country from the list of countries found in Metis
Variant	To define a default variant	Any variant from the list of variants found in Metis
Default Currency	To define a default currency	Any currency from the list of currencies found in Metis
Check of Internet connection	To check the status of the internet connection	Yes or No
Default Price Category	To define a default price category	Any price category from the list of price categories found in Metis
<b>Libraries</b>		
Library 1	To define the first external library that can be used in Metis	Any of the libraries from the given list
Library 2	To define the second external library that can be used in Metis	Any of the libraries from the given list
Library 3	To define the third external library that can be used in Metis	Any of the libraries from the given list
<b>Version Validity</b>		
Blocking Date	The date after which it is no longer possible to launch the application	Any date with the following format DD.MM.YYYY
Date of Validity	The date after which it is no longer possible to configure offers	Any date with the following format DD.MM.YYYY
Announce End of Validity [days]	The number of days in advance that the user receives a warning about validity expiration	Any numerical value up to 12 integers
<b>Personal Data</b>		
Edit Personal Data (Basic)	To enable the user to edit the Phone, Mobile, Fax, E-Mail and the Language fields	Yes or No
Edit Personal Data (Extended)	To enable the user to edit the last name and first name fields	Yes or No
<b>Companies</b>		
Country	To set a default country upon creation of a new company	Any country from the list of countries found in Metis
Language	To set a default language upon creation of a new company	Any language from the list of languages found in Metis
Edit Company Data (Extended)	To enable the user to edit the Address, Zip Code, and City fields	Yes or No
Edit Company Data (Basic)	To enable the user to edit the Building and Department fields	Yes or No
Edit Company Name	To enable the user to edit the Company1 and Company2 fields	Yes or No
<b>Default Long Texts Format</b>		
Default Font	To define the default font type	The desired font of the user. This cell has a character limit of 256
Default Size	To define the default font size	Any numerical value up to 12 integers
<b>Configuration Management</b>		
Configuration Management	To enable the Configuration Management functionality	Enabled or Disabled

Super-user 1	To define the first super-user	A user from the list of users for the current version
Super-user 2	To define the second super-user	A user from the list of users for the current version
Super-user 3	To define the third super-user	A user from the list of users for the current version
Network Folder	To define the network folder	Any folder path the user wishes to define
<b>Global One</b>		
Web Service Address	To define the web service address to connect to the Global One web service	Any web address up to 256 characters
Import Customers & Contacts	To enable the import of customers and contacts	Enabled or Disabled
Limit for Customer Import	To define the maximum number of customers that can to be imported at one time	Any numerical value up to 12 integers. Setting the value to "0" defines it as unlimited
Import Opportunities	To enable the import of opportunities (also known as projects)	Enabled or Disabled
Limit for Opportunity Import	To define the maximum number of opportunities that can to be imported at one time	Any numerical value up to 12 integers
Role	To define the role the customer is assigned to, who is linked to an opportunity, after the opportunity has been imported. If left blank, no customer is linked to the opportunity.	Any role from the list of roles found in Metis